

www.motovario.eu

tel. +48 (048) 383-01-44 e-mail: info@motovario.eu

PDF DATASHEET

PRZEKŁADNIA: SW-050-71B14

WIDOK 3D



DANE TECHNICZNE

GR Size	050
RAP Ratio	5; 7,5; 10; 15; 20; 25; 30; 40; 50; 60; 80;
PAM Input PAM flange	71 B14
ACU Output hole shaft (d)	25
VB Double input shaft	NO
TFU Output flange	T
DFU Output flange dimension (d)	-
PFU Output flange position	-
AL Output hole shaft (d)	No
PAL Output shaft position	-
BR Torque arm	No
PBR Pos. torque arm	-
CAP Cover	No
TIP Motor/Inverter Motor	No
GRA Motor size	-
ALI Supply	-
GIRI Speed Range	-
POTE Power Group	-
CTRL Manual Adjustment Control	-
MODU Expansion modules	-
RAF Cooling	-
FC Motor execution	-
TF Break type	-
AF Brake power supply	-
COP Terminal box cover	-
CVE Fan cover	-
MOR Pos. terminal box	-
A	-
AC	-
A1	-
B	30


DANE TECHNICZNE

BB	8
BM	5
BM1	-
B1	5
C	-
D	25
D1	14
DM	14
DM1	-
E	-
EA	-
EB	-
EC	-
F	-
FF	M6
F1	-
GG	80
G1	-
G3	64
H	-
H1	52
H2	-
I	50
K	-
KE	M8x10
K0	-
K1	-
L	-
L1	-
LB	-
LL	-

DANE TECHNICZNE

M	85
N	70
N1	43.5
O	-
P	97.6
PM	105
PM1	-
Q	-
R	84
R1	-
S	-
S1	-
T	30
TM	16.3
TM1	-
TT	28.3
TT1	16
V	-
W	45°

WIDOK 2D



AKCESORIA

