

www.motovario.eu

tel. +48 (048) 383-01-44 e-mail: info@motovario.eu

PDF DATASHEET

PRZEKŁADNIA: SW-130-100/112B5

WIDOK 3D



DANE TECHNICZNE

GR Size	130
RAP Ratio	25; 30; 40; 50; 60; 80; 100;
PAM Input PAM flange	100-112 B5
ACU Output hole shaft (d)	45
VB Double input shaft	NO
TFU Output flange	T
DFU Output flange dimension (d)	-
PFU Output flange position	-
AL Output hole shaft (d)	No
PAL Output shaft position	-
BR Torque arm	No
PBR Pos. torque arm	-
CAP Cover	No
TIP Motor/Inverter Motor	No
GRA Motor size	-
ALI Supply	-
GIRI Speed Range	-
POTE Power Group	-
CTRL Manual Adjustment Control	-
MODU Expansion modules	-
RAF Cooling	-
FC Motor execution	-
TF Break type	-
AF Brake power supply	-
COP Terminal box cover	-
CVE Fan cover	-
MOR Pos. terminal box	-
A	200
AC	-
A1	-
B	80


DANE TECHNICZNE

BB	14
BM	8
BM1	-
B1	8
C	-
D	45
D1	30
DM	28
DM1	-
E	-
EA	-
EB	-
EC	-
F	-
FF	M10
F1	-
GG	180
G1	-
G3	155
H	147.5
H1	-
H2	-
I	130
K	120
KE	M12x21
K0	-
K1	-
L	155
L1	-
LB	-
LL	-

DANE TECHNICZNE

M	215
N	180
N1	81
O	16
P	250
PM	250
PM1	-
Q	140
R	187.5
R1	-
S	15.5
S1	-
T	60
TM	31.3
TM1	-
TT	48.8
TT1	33
V	100
W	45°

WIDOK 2D



AKCESORIA

